

CLEOPATRA

world of wellness

STEAM ROOMS

Relax in luxury

www.cleopatra.nl



Copyright © 2023 Cleopatra BV

Cleopatra B.V. Oostzijde
295
1508 EN Zaandam,
Netherlands

www.cleopatra.nl
www.cleopatra-wellness.com

STEAM CABINS

TABLE OF CONTENTS

Steam: A Treat for Body & Mind	5	Spa Comfort	62
		Spa Cushions & Poufs	64
		Spa Seats & Lounge Beds	66
External Steam Technology		Delta Line	69
Cleo Steam One	6	Idaho 530	70
Cleo Steam Smart	8	Hawaii Twin 550	72
Cleo Steam Deluxe	10	Oregon Twin 560	74
Sliding Wall Steam Technology	12	Colorado Twin 570	76
Ultrasteam	14	Models	78
		Specifications	80
Internal Steam Technology		Zeta line	83
Backwall Steam	16	Model 1	84
Backwall Steam & Shower	18	Model 2	86
Backwall Special	20	Model 3	88
		Model 4	90
Controls Overview	22	Versions	92
		Colors	94
Installation of external steam systems	24	Specifications	96
Installation Checklist	26		
Installation of Backwall Steam System	28	Vogue Line	99
		Online Configurator	100
Modular Steam	31	Models	102
I-Shape Steam Shower	32	Specifications	104
L-Shape Steam Shower	36	Square bench	106
U-Shaped Steam Shower	40	Square bench XL	108
		Double Square Bench XL	110
Steam Room Door M1	44	Colors	114
Steam Room Window M1	46	Dimensions	116
Full-glass door & window	48		
Firmware colors	49	Hamam	120
		Inspiration	122
Flat-roof steam bath	50		
Lowered-roof steam bath	52	Cabinet Installation Checklist	126
Steam room dome roof	54		
		Special finishes	128
Tile-ready benches	56		
Acrylic benches	58	Fragrances & perfumes	130
Options & Specifications	60		



STEAM: A TREAT FOR BODY AND MIND

You achieve ultimate relaxation by stimulating all your senses. In a Cleopatra steam shower, aromatherapy, chromotherapy, massage, music, and steam come together, allowing you to experience a moment of “ultimate relaxation.”

Benefits of a steam bath session:

- It promotes the body’s detoxification through sweating. Toxins and waste products are effectively flushed out.
- It cleanses and rejuvenates the skin. The skin is hydrated by the moisture and its elasticity is improved. After a steam bath, the skin looks more radiant and healthier.
- Due to the high humidity, it has a positive effect on the respiratory tract. As a result, it can significantly alleviate conditions such as asthma, bronchitis, coughing, and hoarseness.
- During a session in the steam cabin, you burn an average of 300 calories because the heat increases your heart rate. You also lose a lot of fluid. This is replenished by drinking water after the steam session.
- During a session in a steam cabin, you can relax and enjoy yourself. The warm combined with the steam relaxes both body and mind. This helps combat daily stress and tension.

Since a steam shower is an enclosed space, your bathroom also stays dry. This is ideal if you want to use the mirror after steaming or showering. Because the bathroom stays dry, you also extend the lifespan of your bathroom. The steam shower is also ideal if you want to combine your bathroom and master bedroom into one space.

After a steam session, you’ll feel energetic and revitalized. A steam bath revitalizes the body; it strengthens your immune system, has a beneficial effect on your heart and blood vessels, and restores the skin’s natural moisture balance.

Whether you’re looking for a complete steam cabin, a hammam, or just the steam technology itself, you’ll find it all at Cleopatra. Wellness specialist since 1966.

STEAM ONE

DESCRIPTION

- Available in 5 different power ratings.
- Higher power ratings via master-slave configuration.
- Fully pre-assembled
- Easy installation.
- The steam generator must be installed outside the cabin.
- Steam inlet available in white, gray, or black.

Part number	Model	
8100 10 00	Cleo Steam ONE	3.0 kW - 230 V
8100 10 05	Cleo Steam ONE	3.0 kW - 230 V (includes fragrance dispenser)
8100 10 10	Cleo Steam ONE	4.5 kW - 400 V / 2 x 230 V
8100 10 15	Cleo Steam ONE	4.5 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 10 20	Cleo Steam ONE	6.0 kW - 400 V / 2 x 230 V
8100 10 25	Cleo Steam ONE	6.0 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 10 30	Cleo Steam ONE	7.5 kW - 400 V
8100 10 35	Cleo Steam ONE	7.5 kW - 400 V (includes fragrance dispenser)
8100 10 40	Cleo Steam ONE	9.0 kW - 400 V
8100 10 45	Cleo Steam ONE	9.0 kW - 400 V (includes fragrance dispenser)

IMPORTANT


- Required kW = cabin height × width × length × 1.25 (dimensions in meters). Make sure the cabin is insulated in accordance with regulations.
- Maximum interior height: 220 cm.
- Check the water quality and ensure a water softener is installed. Ventilation is necessary for proper steam production.



OPTIONAL

on / off

Part Number	Model		
8100 50 00	White LED spotlights (2 pieces)	Steam	✓
8100 50 05	Colored LED spotlights (2 pieces)	White LED spotlights*	✓
8100 50 10	RGB LED strip (5 meters)	Colored LED spotlights*	✓
8100 50 50	Water softener (includes replacement cartridge)	Colored RGB LED strip*	✓
		Fragrance dispenser*	✓
		* optional	



Temperature Profile of the Steam ONE

The Cleo Steam One is a traditional steam unit: once 48 degrees Celsius is reached, steam production stops. When the temperature drops slightly, steam production resumes. This causes slight temperature fluctuations in the cabin.

Required kW = cabin height × width × length × 1.25 (dimensions in meters). Ensure that the cabin is insulated according to regulations and has a maximum interior height of 220 cm. Ventilation is necessary for proper steam production.

STEAM SMART

DESCRIPTION

- Available in 5 different power ratings.
- Higher power ratings available upon request.
- Fully pre-assembled.
- Easy installation.
- The steam generator must be installed outside the cabin.
- Steam inlet available in white, gray, or black.

Item number	Model	
8100 20 00	Cleo Steam SMART	3.0 kW - 230 V
8100 20 05	Cleo Steam SMART	3.0 kW - 230 V (includes fragrance dispenser)
8100 20 10	Cleo Steam SMART	4.5 kW - 400 V / 2 x 230 V
8100 20 15	Cleo Steam SMART	4.5 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 20 20	Cleo Steam SMART	6.0 kW - 400 V / 2 x 230 V
8100 20 25	Cleo Steam SMART	6.0 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 20 30	Cleo Steam SMART	7.5 kW - 400 V
8100 20 35	Cleo Steam SMART	7.5 kW - 400 V (includes fragrance dispenser)
8100 20 40	Cleo Steam SMART	9.0 kW - 400 V
8100 20 45	Cleo Steam SMART	9.0 kW - 400 V (includes fragrance dispenser)

IMPORTANT


- Required kW = cabin height × width × length × 1.25 (dimensions in meters). Make sure the cabin is insulated in accordance with regulations.
- Maximum interior height: 220 cm.
- Check the water quality and ensure a water softener is installed. Ventilation is necessary for proper steam production.



OPTIONAL

Part Number	Model		on / off	intensity
		Steam	✓	✓
8100 50 00	White LED spotlights (2 pieces)	White LED spotlights*	✓	✓
8100 50 05	Colored LED spotlights (2 pieces)	Colored LED spotlights*	✓	✓
8100 50 10	RGB LED strip (5 meters)	RGB LED strip*	✓	✓
8100 50 50	Water softener (includes replacement cartridge)	Fragrance dispenser*	✓	✓
8100 50 60	Ultrasteam	Ultrasteam*	✓	✓

* optional



Temperature Control in the Steam SMART

The Cleo Steam Smart prevents large temperature fluctuations in the steam cabin. Steam production is constantly adjusted to the desired temperature. Using an easy-to-operate touch panel, you can easily switch between the various functions and control the steam temperature, lighting, fragrance dosage, and UltraSteam using the + and - buttons.

STEAM DELUXE

DESCRIPTION

- Available in 5 different power ratings.
- Higher power ratings available upon request.
- Fully pre-assembled.
- Easy installation.
- The steam generator must be installed outside the cabin.
- Steam inlet available in white, gray, or black.

Item number	Model	
8100 45 00	Cleo Steam DELUXE	3.0 kW - 230 V
8100 45 05	Cleo Steam DELUXE	3.0 kW - 230 V (includes fragrance dispenser)
8100 45 10	Cleo Steam DELUXE	4.5 kW - 400 V / 2 x 230 V
8100 45 15	Cleo Steam DELUXE	4.5 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 45 20	Cleo Steam DELUXE	6.0 kW - 400 V / 2 x 230 V
8100 45 25	Cleo Steam DELUXE	6.0 kW - 400 V / 2 x 230 V (includes fragrance dispenser)
8100 45 30	Cleo Steam DELUXE	7.5 kW - 400 V
8100 45 35	Cleo Steam DELUXE	7.5 kW - 400 V (includes fragrance dispenser)
8100 45 40	Cleo Steam DELUXE	9.0 kW - 400 V
8100 45 45	Cleo Steam DELUXE	9.0 kW - 400 V (includes fragrance dispenser)

IMPORTANT

- Required kW = cabin height × width × length × 1.25 (dimensions in meters). Make sure the cabin is insulated in accordance with regulations.
- Maximum interior height: 220 cm.
- Check the water quality and ensure a water softener is installed. Ventilation is necessary for proper steam production.



OPTIONAL

Item Number

Model

8100 50 00	White LED spotlights (2 pieces)
8100 50 05	Colored LED spotlights (2 pieces)
8100 50 10	RGB LED strip (5 meters)
8100 50 50	Water softener (includes replacement cartridge)
8100 50 60	Ultrasteam
8100 50 65	Steam Sensation
8100 50 70	Multi-Scent (3 scents)
8100 50 80	Halosteam (steaming in saline solution)
8100 50 90	Sound module (Bluetooth + 2 speakers)

Steam

White LED spotlights*

Colored LED spotlights*

Colored LED light rails*

Fragrance dispenser*

Ultrasteam* Multi-

fragrance (3 scents)*


Bluetooth sound module*

on / off

Intensity

✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓

* optional



Temperature Profile Steam DELUXE

The Cleo Steam Deluxe prevents large temperature fluctuations in the steam cabin. Steam production is constantly adjusted to the desired temperature. With the Steam Deluxe, you can control every conceivable wellness option: aromatherapy, color therapy, halotherapy, music, and much more.

SLIDING WALL STEAM TECHNOLOGY

DESCRIPTION



- Sliding wall system for Cleopatra steam generators.
- For installation in a cabinet or utility room.
- Fully pre-assembled with the selected system (One, Smart, or Deluxe).

PRODUCT INFORMATION

Sliding wall steam system

8100 51 00





SLIDING PANEL FOR STEAM TECHNOLOGY

Any Cleopatra steam generator can be mounted on the sliding panel. Thanks to the guide system on the back of the panel, the equipment can be easily pulled out. This allows it to be mounted in a confined space, making service and maintenance simple to perform.

The following connections must be available for installation of the sliding panel:

- Electrical supply.
- Water connection.
- Heat-resistant drain.
- Steam pipe $\varnothing 28$ mm.

ULTRASTEAM

DESCRIPTION

The Ultrasteam™ generator was conceived and designed to deliver the ultimate steam experience: thick clouds of steam and a delightful temperature of around 48 degrees Celsius.

The Ultrasteam generator is compatible with various Cleopatra steam generators, making it possible to connect the Ultrasteam to existing systems.

ENERGY SAVINGS


For hotels, public swimming pools, and public facilities, it is possible to achieve significant savings on energy costs through a standby control system with a pressure switch.

The Ultrasteam and Cleopatra steam generators can be adjusted to provide a short warm-up time and full clouds of steam. This eliminates the need to keep the system running all day, resulting in savings on maintenance and energy costs.

Item Number	Description
8100 50 60	Ultrasteam (230V)

ULTRASTEAM IN 4 IMAGES

Depending on the power [kW] of the steam generator, a thick layer of steam can build up in the cabin more quickly or more slowly. A unique experience in which, thanks to the high humidity, scents and lighting effects are brought out to their fullest potential.



HOW IT WORKS

The Ultrasteam™ generator produces very fine cold-water droplets that are blown into the cabin by a fan. As soon as these water droplets come into contact with hot steam, an accelerated condensation process begins immediately, creating thick clouds of steam.

Depending on the selected control system and steam generator, it is possible to have the Ultrasteam operate continuously or intermittently as part of the steam process.

The Ultrasteam uses water filters to ensure optimal water hygiene. After use, the Ultrasteam generator drains itself so that no residual water remains.

To connect the Ultrasteam generator, you only need a cold-water connection, a drain, and an electrical connection (230 V - 1N).

The Ultrasteam is an optional accessory for the Steam Smart and Steam Deluxe. On the right, you can see a demonstration of how the Ultrasteam works.

BACKWALL STEAM

DESCRIPTION

Creating a separate space for the steam or wellness generator is not required: it is also possible to install the generator inside the cabin. Discover the Cleopatra Backwall: an aesthetic solution that greatly simplifies the installation of the generator, potentially including a full-featured shower.

- Available in 5 different power ratings.
- Fully pre-assembled on an aluminum frame.
- Available in Steam One, Smart, or Deluxe configurations.
- Steam inlet and glass cover in white, gray, or black.

Item number	Model	
8100 61 00	Backwall Steam One	3.0 kW - 230V
8100 61 10	Backwall Steam One	4.5 kW - 400V / 2 x 230V
8100 61 20	Backwall Steam One	6.0 kW - 400V / 2 x 230V
8100 61 30	Backwall Steam One	7.5 kW - 400V
8100 61 40	Backwall Steam One	9.0 kW - 400V

Part Number	Model	
8100 60 00	Backwall Steam Smart	3.0 kW - 230V
8100 60 10	Backwall Steam Smart	4.5 kW - 400V / 2 x 230V
8100 60 20	Backwall Steam Smart	6.0 kW - 400V / 2 x 230V
8100 60 30	Backwall Steam Smart	7.5 kW - 400V
8100 60 40	Backwall Steam Smart	9.0 kW - 400V



Part Number

Model

8100 60 50	Backwall Steam Deluxe	3.0 kW - 230V
8100 60 60	Backwall Steam Deluxe	4.5 kW - 400V / 2 x 230V
8100 60 70	Backwall Steam Deluxe	6.0 kW - 400V / 2 x 230V
8100 60 80	Backwall Steam Deluxe	7.5 kW - 400V
8100 60 90	Backwall Steam Deluxe	9.0 kW - 400V

Glass plate and steam inlet color (order separately):

8100 40 60	Cover plate and steam inlet in white
8100 40 70	Cover plate and steam inlet, anthracite
8100 40 80	Cover plate and steam inlet, gray

Standard

- Mounting frame ✓
- for Generator ✓
- fragrance ✓
- dispenser, ✓
- mounting plate

Required kW = cabin height × width × length × 1.25 (dimensions in meters). Ensure that the cabin is insulated according to regulations and has a maximum interior height of 220 cm. Ventilation is necessary for proper steam production.

BACKWALL STEAM & SHOWER

DESCRIPTION

Creating a separate space for the steam or wellness generator is not mandatory: it is also possible to install the generator inside the cabin. Discover the Cleopatra Backwall: an aesthetic solution that greatly simplifies the installation of the generator, which can include a full-featured shower.

- Available in 5 different power ratings.
- Fully pre-assembled on an aluminum frame.
- Model with Steam Deluxe.
- Steam inlet and glass cover in white, gray, or black.
- Equipped with a thermostatic faucet and hand shower.
- The Plus model also includes a ceiling shower.

	Standard
Mounting frame,	✓
generator, fragrance	✓
dispenser, mounting plate	✓
	✓

Required kW = cabin height × width × length × 1.25 (dimensions in meters). Ensure that the cabin is insulated according to regulations and has a maximum interior height of 220 cm. Ventilation is necessary for proper steam production.

Part Number	Model	
8100 80 00	Backwall Steam & Shower Deluxe	3.0 kW - 230V
8100 80 10	Backwall Steam & Shower Deluxe	4.5 kW - 400V / 2 x 230V
8100 80 20	Backwall Steam & Shower Deluxe	6.0 kW - 400V / 2 x 230V
8100 80 30	Backwall Steam & Shower Deluxe	7.5 kW - 400V
8100 80 40	Backwall Steam & Shower Deluxe	9.0 kW - 400V
8100 80 50	Backwall Steam & Shower Deluxe Plus	3.0 kW - 230 V
8100 80 60	Backwall Steam & Shower Deluxe Plus	4.5 kW - 400V / 2 x 230V
8100 80 70	Backwall Steam & Shower Deluxe Plus	6.0 kW - 400V / 2 x 230V
8100 80 80	Backwall Steam & Shower Deluxe Plus	7.5 kW - 400V
8100 80 90	Backwall Steam & Shower Deluxe Plus	9.0 kW - 400V



Glass panel and steam inlet color (order separately):

- 8100 40 60 Cover plate and steam inlet in white
- 8100 40 70 Cover plate and steam inlet, anthracite
- 8100 40 80 Cover plate and steam inlet, gray

OPTIONAL

Item number	Model		on / off	Intensity
		Steam	✓	✓
		White LED spotlights*	✓	✓
8100 50 00	White LED spotlights (2 pieces)	Colored LED spotlights*	✓	✓
8100 50 05	Colored LED spotlights (2 pieces)	Colored LED light rails*	✓	✓
8100 50 10	RGB LED strip (5 meters)	Fragrance dispenser*	✓	✓
8100 50 50	Water softener (includes replacement	Multi-fragrance (3	✓	✓
cartridge) **		scents)* Bluetooth sound	✓	✓
8100 50 70	Multi-scent air freshener (3 scents) **	module*		
8100 50 80	Halosteam (steaming in saline solution) **			
8100 50 90	Audio module (Bluetooth + 2 speakers)			

* optional

** Must be installed externally; does not fit behind the backwall frame

BACKWALL STEAM SPECIAL

DESCRIPTION

Creating a separate space for the steam or wellness generator is not required: it is also possible to install the generator inside the cabin. Discover the Cleopatra Backwall Special: unlike the Backwall, the steam inlet is not positioned beneath the glass panel. Just as with external steam systems, the steam inlet can be routed wherever you wish. The service hatch with glass panel can therefore also be placed above a bench.

- Available in 5 different power ratings.
- Fully pre-assembled on an aluminum frame.
- Available in One, Smart, or Deluxe configurations.
- Glass cover in white, gray, or black.
- Includes a separate steam inlet in white, gray, or black.

Item number	Model	
8100 62 00	Backwall Steam Special One	3.0 kW - 230V
8100 62 10	Backwall Steam Special One	4.5 kW - 400V / 2 x 230V
8100 62 20	Backwall Steam Special One	6.0 kW - 400V / 2 x 230V
8100 62 30	Backwall Steam Special One	7.5 kW - 400V
8100 62 40	Backwall Steam Special One	9.0 kW - 400V

Part Number	Model	
8100 62 50	Backwall Steam Special Smart	3.0 kW - 230V
8100 62 60	Backwall Steam Special Smart	4.5 kW - 400V / 2 x 230V
8100 62 70	Backwall Steam Special Smart	6.0 kW - 400V / 2 x 230V
8100 62 80	Backwall Steam Special Smart	7.5 kW - 400V
8100 62 90	Backwall Steam Special Smart	9.0 kW - 400V



Item Number	Model	
8100 63 00	Backwall Steam Special Deluxe	3.0 kW - 230V
8100 63 10	Backwall Steam Special Deluxe	4.5 kW - 400V / 2 x 230V
8100 63 20	Backwall Steam Special Deluxe	6.0 kW - 400V / 2 x 230V
8100 63 30	Backwall Steam Special Deluxe	7.5 kW - 400V
8100 63 40	Backwall Steam Special Deluxe	9.0 kW - 400V

Glass plate and steam inlet color (order separately):

8100 40 60	Cover plate and steam inlet, white
8100 40 70	Cover plate and steam inlet, anthracite
8100 40 80	Cover plate and steam inlet, gray

Standard

Mounting frame	✓
for Generator	✓
fragrance	✓
dispenser,	✓
mounting plate	

Required kW = cabin height × width × length × 1.25 (dimensions in meters). Ensure that the cabin is insulated according to regulations and has a maximum interior height of 220 cm. Ventilation is necessary for proper steam production.

OVERVIEW OF CONTROLS

STEAM ONE


	on / off
Steam	✓
White LED spotlights*	✓
Colored LED spotlights*	✓
RGB LED strip*	✓
Fragrance dispenser*	✓

* optional


STEAM SMART

	on / off	Intensity
Steam	✓	✓
White LED spotlights*	✓	✓
Colored LED spotlights*	✓	✓
RGB LED strip*	✓	✓
Fragrance dispenser*	✓	✓
Ultrasteam*	✓	✓

* optional



115 x 45 x 7 (D) mm



166 x 61 x 7 (D) mm

STEAM DELUXE

	on / off	intensity
Steam	✓	✓
White LED spotlights*	✓	✓
Colored LED spotlights*	✓	✓
RGB LED strip*	✓	✓
Fragrance dispenser*	✓	✓
Ultrasteam* Multi-	✓	✓
fragrance (3 scents)*	✓	✓
Halosteam*	✓	✓
Bluetooth sound module*	✓	✓
Steam Sensation*	✓	✓

* optional



102 x 87 x 4 (D) mm


OPTIONS



White LED spotlight




RGB LED spot light



RGB LED strip


INSTALLATION DIAGRAM FOR EXTERNAL STEAM SYSTEM



STEAM SYSTEM LAYOUT

Ensure that the steam system remains accessible at all times; the layout above shows possible installation dimensions. Depending on the selected options, additional provisions may be required.

When installing the steam generator, ensure that all installation components are properly installed. Refer to the relevant manual for instructions. The manuals are available for download online.



Dimensions are in millimeters

- 1 Control panel (outside the cabin).
- 2 Insulated walls, 20 mm construction board or insulating material.
- 3 Roof/ceiling connection for roof shower.
- 4 Ventilation (natural or mechanical); do not install above the steam inlet.
- 5 Temperature sensor (do not place above the steam inlet).
- 6 Safety sensor (do not place above the steam inlet).
- 7 Control panel (inside the cabin—do not place above the steam inlet).
- 8 LED spotlights.
- 9 Cab floor drain.
- 10 Steam inlet.
- 11 Eucast unit (for fragrance dispensing—must remain accessible).
- 12 Insulated solid copper steam pipe, Ø28 mm.
- 13 Heat-resistant trap.
- 14 Utility room (ventilated).
- 15 Fragrance pump and reservoir.
- 16 Steam generator.
- 17 Operating switch for connecting the steam generator's power supply.
- 18 Power supply: 230 V or 400 V (depending on power requirements).
- 19 Water supply.
- 20 1/2-inch angle stop valve.

INSTALLATION CHECKLIST

SPACE ABOVE THE CABIN

Allow for at least 150 mm of additional space above the net height for vent and lighting connections.

FLOOR & DRAIN

A small opening is left beneath the steam cabin door to allow air to be drawn in. Ensure the floor slopes sufficiently to drain shower water. Recommendation: Install a low threshold beneath the glass door that slopes slightly inward, so that condensation from the door flows back into the cabin. To protect the tiling, the drain channel should preferably be placed at the bottom of the steam inlet.

NATURAL VENTILATION

Provide ventilation in the roof or high up on the shower enclosure wall. Use either natural or mechanical ventilation set to a low setting. Do not place the vent above the steam inlet.

ELECTRICITY AND WATER

Calculating steam generator capacity: cabin length x width x height (max 220 cm) x 1.25, up to a cabin volume of 7.2 m³. For volumes exceeding this, it is possible to order a slave generator (3 or 6 kW). When selecting the capacity, round up if there is a glass front—and definitely do not round down.

A 230V connection is sufficient for a 3 kW steam generator; for 4.5 kW and above, 400 V or 2x 230V is required. Depending on the selected generator and lighting, it must be determined whether the lighting is powered by the generator or if a second power supply for the lights is necessary. We'd be happy to advise you on this. The dimensions of the generators apply to all power ratings; the steam line and fittings are 28 mm.

The following are required at the generator's location: water, a heat-resistant siphon, a circuit breaker, and an electrical power supply. Water pressure must be normal. If the water is hard, it is recommended to install a water softener upstream of the steam generator.

PIPING FROM THE GENERATOR

If an external steam generator is used, the steam line from the generator to the steam inlet must not exceed 3.5 m. From the steam generator, the line must first run upward (45 cm) and then downward at a slope toward the steam inlet. The steam line must be insulated; when making bends, use smooth curves—do not use elbows and ensure the bends are generous.

FRAGRANCE CONNECTOR

If fragrance dosing is selected: the connector must remain accessible and be installed in the section of the steam line that runs downward at a slope. This ensures that the fragrance can never enter the steam generator.

WARRANTY

All Cleopatra generators come standard with a 2-year manufacturer's warranty.

DIMENSIONS


WATER QUALITY GUIDELINES

Water quality is important for the longevity of the steam generator; this is a key parameter. In addition to this parameter, other factors such as oxygen, combinations of different types of metals, acids or bases, and the types of materials used have a direct impact on the generator.

Water Quality Guidelines:

- pH: 7.5–9.5
- Chloride: max. 50 mg/L
- Conductivity: 150–350 uS/cm
- Bicarbonate: 80–100 mg/L (HCO₃)
- Hardness: 2–4 dH°C

NET DIMENSIONS OF STOOMTECHNIEK ONE, SMART & DELUXE



(dimensions in mm)

Front view

side view

WORKING SPACE FOR EXTERNAL STEAM SYSTEM

We require a minimum of 15 cm of working space around the generator (W x H x D). The steam generator must be accessible from the front.

BACKWALL INSTALLATION

BACKWALL FRAME INSTALLATION

Ensure that the steam system is accessible at all times for maintenance and/or service via the cover plate. Note that the water softener and the multi-fuel burner must be installed externally; they do not fit behind the backwall frame.


ELECTRICITY AND WATER

Calculating the steam generator's power: cabin length x width x height (max 220 cm) x 1.25, up to a cabin volume of 7.2 m³. For volumes exceeding this, it is possible to order a slave generator (3 or 6 kW). When selecting the power rating, round up if there is a glass front—never round down.


For a 3 kW steam generator, a 230 V connection is sufficient; for 4.5 kW and above, 400 V or 2x 230 V is required. Depending on the chosen generator and lighting, you must determine whether the lighting is controlled by the generator or whether a second power supply for the lighting is necessary.

The following are required at the frame location: water, a circuit breaker, and an electrical power supply. Water pressure must be normal. If the water is hard, it is recommended to install a water softener upstream of the steam generator.

BACKWALL STEAM & STEAM SPECIAL




BackWall without mounting plate.
Maximum thickness of finish, including tile,
is 30 mm.




BackWall with mounting panel. Maximum
thickness of the finish, including tile, is 10 mm.


* For the BackWall Steam Special, a copper pipe must be run from the utility room to the steam inlet.



BACKWALL STEAM & SHOWER



BackWall without mounting panel. Maximum thickness of finish, including tile, is 30 mm.



BackWall with mounting panel. Maximum thickness of finish, including tile, is 10 mm.



MODULAR STEAM

You achieve ultimate relaxation by stimulating all your senses. In a Cleopatra steam shower, aromatherapy, chromotherapy, massage, music, and steam come together, allowing you to experience a moment of “ultimate relaxation.” Afterward, you’ll feel energetic and revitalized. A steam session revitalizes ; it strengthens your immune system, has a beneficial effect on your heart and blood vessels, and restores the skin’s natural moisture balance.

Since a steam shower is an enclosed space, your bathroom also stays dry. This is ideal if you want to use the mirror after steaming or showering.

Since the bathroom stays dry, you also extend the lifespan of your bathroom. The steam shower is also ideal if you want to combine your bathroom and master bedroom into one space.

With our modular steam products, you can design your own custom steam cabin.

- Tile-ready steam bath benches.
- Steam room roof.
- Glass steam shower enclosures.
- Doors.
- Windows.
- Acrylic seating elements.
- Custom-made glass.

Always seek professional advice before installing a structural steam room. Send us a drawing or make an appointment at the Cleopatra showroom.

I-SHAPE STEAM SHOWER CABINS

FEATURES

- Recessed (I-shape) model.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps, chrome-plated as standard.
- Color options available at an additional cost in stainless steel look or matte black.
- Shower enclosure design: roof and glass are integrated.
- Glass colors: choose from clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

I-SHAPE CABIN

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

INTERCONNECTED

2109 80 00
 2109 80 01
 2109 80 02
 2109 80 03
 2109 80 04
 2109 80 05
 2109 80 06
 2109 80 07
 2109 80 08
 2109 80 09





Other dimensions available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: CABIN ROOF CONNECTED TO GLASS FRONT.



Other sizes available upon request

I-SHAPE STEAM SHOWER CABINS TRAVERSE

FEATURES

- Recessed (I-shape) variant.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps, chrome-plated as standard.
- Colored parts are available for an additional charge in a stainless steel finish or matte black.
- Cab design: roof built into the walls; glass beneath a crossbeam.
- Glass colors: choose from clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

I-SHAPE CABIN

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

CROSSBEAM

2109 85 00
 2109 85 02
 2109 85 04
 2109 85 06
 2109 85 08
 2109 85 10
 2109 85 12
 2109 85 14
 2109 85 16
 2109 85 18





Other dimensions available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: BUILT-IN CAB ROOF.



Other sizes available upon request

L-SHAPE STEAM SHOWER CABINS

FEATURES

- Corner (L-shape) model.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps are chrome-plated as standard.
- Color options available at an additional cost in stainless steel look or matte black.
- Shower enclosure design: roof and glass are integrated.
- Glass colors: choose from clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

PRODUCT INFORMATION

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

INTERCONNECTED

2109 80 10
 2109 80 11
 2109 80 12
 2109 80 13
 2109 80 14
 2109 80 15
 2109 80 16
 2109 80 17
 2109 80 18
 2109 80 19





Other dimensions available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: CABIN ROOF CONNECTED TO GLASS FRONT.



Other sizes available upon request

L-SHAPE STEAM SHOWER CABINS TRAVERSE

FEATURES

- Corner (L-shape) variant.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps are chrome-plated as standard.
- Color options available at an additional cost in stainless steel look or matte black.
- Shower enclosure design: roof built into the walls; glass beneath a crossbar.
- Glass colors available in clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

PRODUCT INFORMATION

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

CROSSBEAM

2109 85 20
 2109 85 22
 2109 85 24
 2109 85 26
 2109 85 28
 2109 85 30
 2109 85 32
 2109 85 34
 2109 85 36
 2109 85 38





Other sizes available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: BUILT-IN CABIN ROOF.



Other sizes available upon request

U-SHAPE STEAM SHOWER CABINS

FEATURES

- Wall (U-shape) variant.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps are chrome-plated as standard.
- Color options available at an additional cost in stainless steel look or matte black.
- Shower enclosure design: roof and glass are integrated.
- Glass colors: choose from clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

PRODUCT INFORMATION

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

INTERCONNECTED

2109 80 20
 2109 80 21
 2109 80 22
 2109 80 23
 2109 80 24
 2109 80 25
 2109 80 26
 2109 80 27
 2109 80 28
 2109 80 29





Other dimensions available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: CABIN ROOF CONNECTED TO GLASS FRONT.



Other sizes available upon request

U-SHAPE STEAM SHOWER CABINS TRAVERSE

FEATURES

- Wall (U-shape) variant.
- Glass panels with narrow wall profiles, chrome-plated as standard.
- Luxury handle, hinges, and floor clamps are chrome-plated as standard.
- Color options available at an additional cost in stainless steel look or matte black.
- Shower enclosure design: roof built into the walls; glass beneath a crossbar.
- Glass colors available in clear, bronze, or gray.
- Flat steam room roof made of insulating material. Standard white (RAL 9016)—other RAL colors available.

PRODUCT INFORMATION

Up to 1000 x 1000 mm
 Up to 1200 x 1000 mm
 Up to 1400 x 1000 mm
 Up to 1600 x 1000 mm
 Up to 1800 x 1000 mm
 Up to 1000 x 1200 mm
 Up to 1200 x 1200 mm
 Up to 1400 x 1200 mm
 Up to 1600 x 1200 mm
 Up to 1800 x 1200 mm

CROSSBEAM

2109 85 40
 2109 85 42
 2109 85 44
 2109 85 46
 2109 85 48
 2109 85 50
 2109 85 52
 2109 85 54
 2109 85 56
 2109 85 58





Other dimensions available upon request

OPTION S

Surcharge for roof in RAL color—other than RAL 9016	2109 50 05
Surcharge for color parts in stainless steel look	2109 50 10
Surcharge for colored parts in matte black	2109 50 15



INSTALLATION EXAMPLE: BUILT-IN CAB ROOF.



Other sizes available upon request

STEAM ROOM DOOR M1

FEATURES

- Aluminum frame.
- 8 mm safety glass.
- Glass color: clear, bronze, or gray.
- Frame and pull handle come standard in white (RAL 9003).
- Other RAL colors available at an additional cost.
- Includes roller latch and water-resistant threshold.
- Left- and right-hand versions available.



Hinges mounted on the right side

PRODUCT INFORMATION

	RIGHT	LEFT
1900 x 750 mm	2105 30 00	2105 30 01
2050 x 750 mm	2105 30 02	2105 30 03
1900 x 1000 mm	2105 30 04	2105 30 05
2050 x 1000 mm	2105 30 06	2105 30 07

Surcharge for colors other than RAL 9003


2105 33 00



STEAM ROOM WINDOW M1

FEATURES

- Aluminum frame.
- 8 mm safety glass.
- Glass color: clear, bronze, or gray.
- Frame comes standard in white (RAL 9003).
- Other RAL colors available at an additional cost.



Other dimensions available upon request

PRODUCT INFORMATION

500 x 1000 mm	2109 40 00
500 x 1350 mm	2109 40 01
500 x 1500 mm	2109 40 02
500 x 2050 mm	2109 40 03

Surcharge for colors other than RAL 9003	2105 33 50
--	------------



ALL-GLASS DOOR & WINDOW

FEATURES


- 8 mm safety glass.
- Glass color: clear, bronze, or gray smoked glass.
- Luxury handle in chrome, stainless steel, or matte black.
- Other hinge and handle colors available upon request.
- Full-glass window max. 1400 x 2000 mm.



Glass color: transparent



Glass color: bronze



Glass color: gray smoked glass




Other dimensions available upon request

PRODUCT INFORMATION

Full-glass door (chrome hinges, floor clamp, and handle)	2102 31 00
All-glass door (hinges, floor clamp, and handle in stainless steel)	2102 31 10
Full-glass door (hinges, floor clamp, and handle in matte black)	2102 31 25
Full-glass window (per m ²)	2102 31 05
Consultation & measurement	2910 50 00


HARDWARE COLORS



Chrome hinge



Stainless steel hinge




Matte black hinge




Chrome handle



Stainless steel handle



Matte black handle



Stainless steel floor clamp

Floor clamp, matte black

FLAT-ROOF STEAM ROOM

FEATURES

- Insulated plastic steam bath roof.
- Includes mounting profiles.
- Includes finishing strips.
- Standard color: white RAL 9016.
- Other RAL colors available at an additional cost.




Other dimensions available upon request

PRODUCT INFORMATION

Flat steam room roof up to 1250 x 1800 mm	2109 50 00
Flat steam room roof, 1250 x 1800 mm and larger	2109 50 01
Surcharge for colors other than RAL 9016	2109 50 05

OPTIONAL

For options and specifications, see page 60.



1. Corner Profile

2. Steam room
roof

3. Trim

STEAM ROOM WITH LOWERED CEILING

FEATURES

- Insulated plastic steam bath with lowered roof.
- Includes mounting profiles.
- Includes finishing strips.
- Standard color: white RAL 9016.
- Other RAL colors available at an additional cost.





Other dimensions available upon request

PRODUCT INFORMATION

Dome-shaped steam room roof up to 2500 x 1250 mm	2812 27 10
Dome-shaped steam room roof, up to 2500 x 1500 mm	2812 27 30
Steam room dome roof, up to 2500 x 2000 mm	2812 27 50
Steam room dome roof up to 2500 x 2500 mm	2812 27 70
Surcharge for colors other than RAL 9016	2109 50 05

OPTIONAL

See page 60 for options and specifications.



1. Corner Profile

2. Steam room
roof

3. Trim

4. LED rails

ROOF DOME STEAM BATH

FEATURES

- Insulated plastic steam bath roof dome.
- Includes mounting profiles.
- Includes finishing strips.
- Standard color: white (RAL 9016).
- Other RAL colors available at an additional cost.





Other dimensions available upon request

PRODUCT INFORMATION

Dome-shaped steam room roof up to 2500 x 1250 mm	2812 27 00
Dome-shaped steam room roof up to 2500 x 1500 mm	2812 27 20
Steam room dome roof up to 2500 x 2000 mm	2812 27 40
Steam room dome roof up to 2500 x 2500 mm	2812 27 60
Surcharge for colors other than RAL 9016	2109 50 05

OPTIONAL

See page 60 for options and specifications.



1. Corner Profile

2. Steam room roof

3. Trim

4. LED rails

TILED BENCHES

FEATURES


- High-quality insulation.
- Equipped with a cementitious layer.
- Ready for immediate tiling.
- Can be custom-cut; also at an angle

PRODUCT INFORMATION



Bench Model 1	per meter	2102 31 15
Bench Model 2	per meter	2102 31 20
Bench model 4	per meter	2102 31 40
Bench model 5	per meter	2102 31 50
Bench model 6	per meter	2102 31 55

Softseat (fits model 1)	RAL 3018		2813 00 10
Softseat (fits model 1)	RAL 4001		2813 00 40
Softseat (fits model 1)	RAL 7021		2813 00 20
Softseat (fits model 1)	RAL 3015		2813 00 50
Softseat (fits model 1)	RAL 7042		2813 00 30
Softseat (fits model 1)	RAL 9016		2813 00 60


Softseat (for Model 1 sofa)





Model 1 Sofa





Bench Model 2





Bench Model 4



Bench Model 5



Bench Model 6



Other sizes available upon request

ACRYLIC BENCHES

FEATURES


- Benches made of high-quality sanitary acrylic.
- White RAL 9016.
- Equipped with an integrated drain.
- Includes mounting hardware.

PRODUCT INFORMATION


Acrylic corner bench 1500 x 1125 mm	2109 30 00
Acrylic corner bench 1500 x 1125 mm	2109 30 01
Acrylic bench 750 mm	2109 30 02
Acrylic bench, 1500 mm	2109 30 03






Bench 750 mm



Bench 1500 mm





Right-hand corner unit 1500 x 1125 mm

OPTIONS & SPECIFICATIONS



Plastic steam inlet

2500 34 00 White

2500 36 00 Black

2500 35 00 Gray




Glass steam inlet (2 parts)

2811 81 00 White

2811 83 00 Black

2811 82 00 Gray



Rainmaker

2500 26 00 without light

2500 13 00 with light



White plastic vent

2500 28 00 Ø 125 mm

2500 28 50 Ø 100 mm



Ventilation & white light unit

2109 99 08 White



Speaker

2500 27 00 White

2500 27 50 Gray



Spotlight Lighting Set

(2 x LED RGB/white spotlights) incl. push
button 2500 45 00 RGB/White EURO



Spotlight Lighting Set

(4 x LED RGB/white spotlights) incl. push
button 2500 45 10 RGB/White EURO




Raindance Air

2500 14 00 180 mm
2500 16 00 240 mm



Raindance Select

2500 18 00 240 mm
2500 22 00 300 mm



Lighting Set for Rails

LED strip (5 meters) incl. push
button 2200 44 00 RGB/white

SPA COMFORT

Spa Comfort is a collection of seating and lounging elements made of coated soft foam. Remains flexible, soft, and easy to maintain.

Cushions, poufs, chairs, and lounge beds for use in (professional) steam rooms, showers, and wellness areas. Available in various colors; if you'd like a different color, please specify a RAL color.





SPA CUSHIONS & POUFS

FEATURES


- Available in 4 standard RAL colors.
- Other RAL colors available upon request.
- Stays soft for optimal comfort.
- Made from polyurethane-coated soft foam.
- Antibacterial and resistant to water and moisture.
- Easy to maintain; clean with water and a cloth.

PRODUCT INFORMATION

	RAL 9016	● RAL 7042	● RAL 7021	● RAL 8025
Spa Cushion 400	2109 30 09	2109 30 19	2109 36 16	2109 37 10
Spa cushion 750	2109 30 10	2109 30 20	2109 36 17	2109 37 12
Spa cushion 900	2109 30 11	2109 30 21	2109 36 18	2109 37 14
Spa cushion 1200	2109 30 12	2109 30 22	2109 36 19	2109 36 16
Spa cushion 1500	2109 30 13	2109 30 23	2109 36 20	2109 37 18
Spa pouf 400	2109 34 50	2109 34 60	2109 36 10	2109 37 40
Spa ottoman 750	2109 30 04	2109 30 14	2109 36 11	2109 37 42
Spa Pouf 900	2109 30 05	2109 30 15	2109 36 12	2109 37 44



Other sizes available upon request



Spa cushion 400
400 x 400 x 50 mm



Spa cushion 750
750 x 400 x 50 mm



Spa cushion 900
900 x 400 x 50 mm



Spa cushion 1200
1200 x 400 x 50 mm



Spa cushion 1500
1500 x 400 x 50 mm



Spa pouf 400
400 x 400 x 450 mm



Spa pouf 750
750 x 400 x 450 mm



Spa pouf 900
900 x 400 x 450 mm

SPA SEATS & LOUNGE BEDS

FEATURES


- Spa loungers and cushions for use in (professional) steam rooms, showers, and wellness areas.
- Available in 3 RAL colors as standard.
- Other RAL colors available upon request.
- Stays soft for optimal comfort.
- Made from polyurethane-coated soft foam.
- Antibacterial and resistant to water and moisture.
- Easy to maintain; clean with water and a cloth.

PRODUCT INFORMATION

	● RAL 7021	● RAL 7042	RAL 9016
Salta	2109 17 10	2109 17 20	2109 17 50
Lima	2109 10 10	2109 10 20	2109 10 50
Cusco	2109 22 10	2109 22 20	2109 22 50
Spa chair	2109 36 50	2109 36 40	2109 36 60
Cubic Spa Footstool	2109 38 40	2109 38 20	2109 38 00
Spa Foot Pouf Triangle	2109 36 90	2109 36 80	2109 37 00
Porto	2109 18 10	2109 18 20	2109 18 50
Corfu 2.0	2109 19 10	2109 19 30	2109 19 50




Other sizes available upon request



Salta
600 x 884 x 654 mm



Lima
600 x 1170 x 654 mm



Cusco
400 x 455 x 419 mm




Spa Armchair
550 x 700 x 730 mm



Spa Cubic Pouf
550 x 550 x 400 mm



Spa Triangle Pouf
550 x 550 x 400 mm



Porto
600 x 1191 x 654 mm



Corfu 2.0
600 x 1800 x 730 mm



DELTA LINE

FEATURES

Comfortable built-in steam shower enclosures made of high-quality white acrylic. Acrylic absorbs minimal heat and provides insulation, maximizing the steam effect. These enclosures require little maintenance and retain their luxurious appearance for years.

- Acrylic enclosures.
- 4 sizes.
- 8 mm glass in clear, bronze, or gray.
- Door frame in white aluminum; other RAL colors available upon request.
- The door opens outward on hinges on the left or right.
- Includes drain.
- Includes a thermostatic faucet and hand shower.
- External steam system.

The Delta Line shower enclosures are available in 3 different models: Essential, Deluxe, and Exclusive.



IDAHO 530


FEATURES

- Built-in acrylic shower enclosure.
- Single-person cabin.
- Seat on the left or right.
- Equipped with a shower and steam generator.
- The steam generator must be installed externally.
- Models on page 78.


PRODUCT INFORMATION

Essential	8200 1010
Deluxe	8200 1020
Exclusive	8200 1030


DIMENSIONS



Top view of corner installation (in mm)



Top view of wall-mounted installation (in mm)



Front view (in mm)

GLASS COLOR

- Glass color: clear, bronze, or smoked gray.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side. The seating position corresponds to the hinge side.

HAWAII TWIN 550


FEATURES

- Built-in acrylic cabin.
- 2-person cabin.
- Equipped with a shower and steam generator.
- The steam generator must be installed externally.
- Models on page 78.


PRODUCT INFORMATION

Essential	8200 1040
Deluxe	8200 1050
Exclusive	8200 1060


DIMENSIONS



Top view of corner installation (in mm)



Top view of wall-mounted installation (in mm)



Front view (in mm)

GLASS COLOR

- Glass color: clear, bronze, or smoked gray.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.

OREGON TWIN 560


FEATURES

- Built-in acrylic cabin.
- 2-person cabin.
- Equipped with a shower and steam generator.
- The steam generator must be installed externally.
- Models on page 78.


PRODUCT INFORMATION

Essential	8200 1070
Deluxe	8200 1080
Exclusive	8200 1090

DIMENSIONS



Top view of corner installation (in mm)



Front view (in mm)

GLASS COLOR

- Glass color: clear, bronze, or smoked gray.

DOOR HINGE DIRECTION

- Hinges located on the right or left side.

COLORADO TWIN 570


FEATURES

- Built-in acrylic cabin.
- 2-person cabin.
- Equipped with a shower and steam generator.
- The steam generator must be installed externally.
- Models on page 78.


PRODUCT INFORMATION

Essential	8200 1100
Deluxe	8200 1110
Exclusive	8200 1120

DIMENSIONS



Top view of corner installation (in mm)



Front view (in mm)

GLASS COLOR

- Glass color: clear, bronze, or smoked gray.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.

DELTA LINE VARIANTS

OPTIONAL

Special finishes

Special finishes are available upon request.

OPTIONAL (at no extra charge)

Glass color

· Glass color: transparent, bronze, or smoked gray

Door swing direction

· Hinges on the right or left side

Cab

- Cabin made of high-quality acrylic.
- Door in frame (white) — transparent glass.
- Drain.
- Ventilation.

Shower

- Thermostatic faucet (single-function).
- Handheld showerhead and shower rail.

Lighting

- White LED lighting (2 units).

Steam

- Steam One steam generator, including controls.
(3 kW—Colorado Twin only: 4.5 kW)
- Aromatherapy (automatic dispensing of 1 scent)
- White plastic steam inlet

DELUXE

Cab

- Cab made of high-quality acrylic.
- Door in frame (white) – transparent glass.
- Drain.
- Ventilation.

Shower

- Thermostatic faucet (2 functions).
- Hand shower and shower rail.
- Roof shower 240 mm

Lighting

- Colored LED lights (2 pieces).

Steam

- Steam Smart steam generator, including controls.
(3 kW—Colorado Twin only: 4.5 kW)
- Aromatherapy (automatic dispensing of 1 scent)
- White plastic steam inlet

EXCLUSIVE

Cab

- Cab made of high-quality acrylic.
- Door in frame (white) – transparent glass.
- Drain.
- Vent.

Shower

- Thermostatic faucet (3 functions).
- Handheld shower and shower rail.
- Roof shower 300 mm.
- Side showers (6 units).

Lighting

- Colored LED lighting (2 pieces).

Steam

- Steam Deluxe steam generator, including controls.
(3 kW—Colorado Twin only: 4.5 kW)
- Aromatherapy (automatic dispensing of 2 scents)
- White plastic steam inlet

Music

- Bluetooth module including 2 speakers.

SPECIFICATIONS DELTA LINE



Shower Select thermostatic faucet



Hansgrohe Raindance Select S 150 hand shower, 150 mm diameter, Select button for switching between 3 spray modes, Unica S shower arm 90 cm, Isiflex B shower hose 160 cm. Chrome-plated.



High-quality overhead shower from Hansgrohe. Made of chrome-plated brass and available in diameters of 240 and 300 mm. The Select button lets you easily switch between a powerful rain spray and a gentle rain spray.



Speaker



LED white light spot



RGB LED color light spot




Side shower



Steam One Controls

- Steam on/off
- Aromatherapy on/off
- LED white light on/off



Steam Smart Controls

- Steam *
- Aromatherapy *
- Color therapy (RGB color LED) including dimming and color rotation

*+/- adjustable in 3 settings



Steam Deluxe Controls

- Digital display
- Steam temperature 40–50 °C
- Color therapy (RGB color LED) including dimming and color rotation
- Aromatherapy (3 scents)
- Bluetooth music (volume, playlist)



ZETA LINE

FEATURES

Comfortable built-in cabins made from high-quality insulation panels in various colors and finishes. The seating elements are made of acrylic, a plastic that absorbs minimal heat and is easy to clean. These cabins require little maintenance and retain their luxurious appearance for years. Because the cabins have a modular design, they can be customized as desired. Ask us about the possibilities.

- Cabins made of insulation panels and acrylic seats.
- Walls, roof, and seating fully finished.
- 4 models; available in 3 versions.
- 8 mm glass: clear, bronze, or gray.
- Door frame in white aluminum or RAL color (additional charge).
- Door opens outward with hinges on the left or right.
- Includes thermostatic faucet, hand shower, and shower rod.
- Shower enclosure to be installed on a finished floor.
- External steam system.



ZETA MODEL 1

FEATURES

- Built-in shower enclosure made of insulation panels.
- Models on page 92.
- Interior colors, page 94.
- Specifications on page 96.
- 1-person cabin (seats on the left or right).
- Equipped with a shower and steam generator.
- Steam generator (4.5 kW) can be installed externally.

MODEL

- Essential 8200 20 10
- Deluxe 8200 20 20
- Exclusive 8200 20 30

OPTIONAL WINDOW

- 2050 x 500 2109 40 03
- 2050 x 1000 2109 40 10

OPTIONAL ROOF AND SEAT IN RAL COLOR




Color surcharge 2109 50 05

GLASS COLOR

- Glass color: clear, bronze, or gray smoked glass.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.



ZETA MODEL 2

FEATURES

- Built-in cabin made of insulation panels.
- Models on page 92.
- Interior colors, page 94.
- Specifications on page 96.
- 2-person cabin.
- Equipped with a shower and steam generator.
- Steam generator (6 kW) can be installed externally.

MODEL

- Essential 8200 20 50
- Deluxe 8200 20 60
- Exclusive 8200 20 70

OPTIONAL WINDOW

- 2050 x 500 2109 40 03
- 2050 x 1000 2109 40 10

OPTIONAL ROOF AND SEAT IN RAL COLOR



Color surcharge 2109 50 05

GLASS COLOR

- Glass color: clear, bronze, or gray smoked glass.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.



ZETA MODEL 3

FEATURES

- Built-in cabin made of insulation panels.
- Models on page 92.
- Interior colors, page 94.
- Specifications on page 96.
- 2-person cabin.
- Equipped with a shower and steam generator.
- Steam generator (6 kW) can be installed externally.

MODEL

- Essential 8200 21 00
- Deluxe 8200 21 10
- Exclusive 8200 21 20

OPTIONAL WINDOW

- 2050 x 500 2109 40 03
- 2050 x 1000 2109 40 10

OPTIONAL ROOF AND SEAT IN RAL COLOR



Color surcharge 2109 50 05

GLASS COLOR

- Glass color: clear, bronze, or gray smoked glass.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.



ZETA MODEL 4

FEATURES

- Built-in cabin made of insulation panels.
- Models on page 92.
- Interior colors, page 94.
- Specifications on page 96.
- 2-person cabin (left or right-hand version).
- Equipped with a shower and steam generator.
- Steam generator (7.5 kW) to be installed externally.

MODEL

- Essential 8200 21 50
- Deluxe 8200 21 60
- Exclusive 8200 21 70

OPTIONAL WINDOW

- 2050 x 500 2109 40 03
- 2050 x 1000 2109 40 10

OPTIONAL ROOF AND SEAT IN RAL COLOR



- Color surcharge 2109 50 05

GLASS COLOR

- Glass color: clear, bronze, or gray smoked glass.

DOOR SWING DIRECTION

- Hinges mounted on the right or left side.



ZETA LINE MODELS

OPTIONAL (at no extra charge)

Glass Color

- Glass color: clear, bronze, or smoked gray.

Door swing direction

- Hinges on the right or left side.

OPTIONAL (at additional cost)

Optional window (in mm)

2050 x 500	2109 40 03
2050 x 1000	2109 40 10
2050 x 1250	2109 40 15
2050 x 1500	2109 40 20
RAL color	2105 33 50

Optional roof and seat in RAL color

Color surcharge	2109 50 05
-----------------	------------

Special finishes

Available upon request.

ESSENTIAL

Cabin

- Cabin made of high-quality insulation panels.
- Door in frame (white) – transparent glass.
- Ventilation.

Shower

- Thermostatic faucet (single-function).
- Handheld showerhead and grab bar.

Lighting

- White LED lights (2).

Steam

- Steam One steam generator, including controls.
- Aromatherapy (automatic dispensing of 1 scent).
- Plastic steam inlet in white, gray, or black.

DELUXE

Cab

- Cabin made of high-quality insulation panels.
- Door in frame (white) – transparent glass.
- Ventilation.

Shower

- Thermostatic faucet (2 functions).
- Handheld shower and grab bar.
- 240 mm overhead shower.

Lighting

- Colored LED lighting (2 units).

Steam

- Steam Smart steam generator, including controls.
- Aromatherapy (automatic dispensing of 1 scent).
- Plastic steam inlet in white, gray, or black.

EXCLUSIVE

Cab

- Cab made of high-quality insulation panels.
- Door in frame (white) – transparent glass.
- Ventilation.

Shower

- Thermostatic faucet (3 functions).
- Handheld shower and shower rail.
- 300 mm overhead shower.
- Side showers (6 units).

Lighting

- Colored LED lighting (2 units).

Steam

- Steam Deluxe steam generator, including controls.
- Aromatherapy (automatic dispensing of 2 scents).
- Plastic steam inlet in white, gray, or black.

Music

- Bluetooth module including 2 speakers.


ZETA LINE COLORS

GLOSS




Artic White


TEXTURE



White



Titan Gray



Graphite - Gray



Other colors available upon request

TEXTURE



Mediterranean - Beige




Terra - Gray




Metal Rust - Red

MATTE



Marble - White



Marble - Black



Concrete - Gray

SPECIFICATIONS ZETA LINE



Shower Select Thermostatic Faucet



Hansgrohe Raindance Select S 150 hand shower, 150 mm diameter, Select button for switching between 3 spray modes, Unica S shower arm 90 cm, Isiflex B shower hose 160 cm. Chrome-plated.



High-quality overhead shower from Hansgrohe. Made of chrome-plated brass and available in diameters of 240 and 300 mm. The Select button lets you easily switch between a powerful rain spray and a gentle rain spray.



Speaker



LED white light spotlight



RGB LED color light spot




Side shower



Steam One controls

- Steam on/off
- Aromatherapy on/off
- LED white light on/off



Steam Smart Controls

- Steam *
- Aromatherapy *
- Color therapy (RGB color LED) including dimming and color rotation

*+/- adjustable in 3 settings



- Steam Deluxe Controls
- Digital display
- Steam temperature 40–50 °C
- Color therapy (RGB LED) including dimming and color rotation
- Aromatherapy (3 scents)
- Bluetooth music (volume, playlist)



VOGUE LINE


FEATURES

The Vogue shower steam cabins are robust and designed for quick installation and assembly. These cabins can be custom-made upon request, allowing them to be installed in virtually any setting—both for private and professional use. Given the many options and combinations available, you can customize your own Vogue cabin online. Visit the online configurator on our website: www.cleopatra.nl.

- Enclosure made of insulation panels.
- Walls, roof, and seating are fully finished.
- 18 models; available in 3 versions.
- 8 mm glass: clear, bronze, or gray.
- Door frame in white aluminum or RAL color (additional charge).
- Door opens outward with hinges on the left or right.
- Includes thermostatic faucet, hand shower, and shower rod.
- Shower enclosure to be installed on a finished floor.
- External steam system.
- The cabin can also be used as a hammam.



ONLINE CONFIGURATOR



Do you have specific requests and would you like to see what this cabin will look like? Then try our online configurator. The following pages show a number of examples.

Flat roof or curved

Wall and bench upholstery

Steam inlet



Marble - White



Graphite - Gray



Metal Rust - Red



MODELS


VOGUE 1500		Seating Capacity	Capacity [m ³]	Square XL	Double Square	Showers	Cushions
Model 1	1500 x 1000	1	3.1			✓	✓
Model 2	1500 x 1250	2	3.9			✓	✓
Model 3	1500 x 1500	3	4.7	✓		✓	✓
Model 4	1500 x 1750	4	5.5	✓	✓	✓	✓
Model 5	1500 x 2000	5	6.3	✓	✓	✓	✓

VOGUE 2000		Seating Capacity	Capacity [m ³]	Square XL	Double Square	Showers	Cushions
Model 11	2000 x 1000	2	4.2			✓	✓
Model 12	2000 x 1250	2	5.3			✓	✓
Model 13	2000 x 1500	4	6.3	✓		✓	✓
Model 14	2000 x 1750	4	7.4	✓	✓	✓	✓
Model 15	2000 x 2000	6	8.4	✓	✓	✓	✓
Model 16	2000 x 2500	8	10.5	✓	✓	✓	✓

VOGUE 2500		Seating capacity	Capacity [m ³]	Square XL	Double Square	Showers	Cushions
Model 20	2500 x 1000	2	5.3	✓	✓	✓	✓
Model 21	2500 x 1250	2	6.6	✓	✓	✓	✓
Model 22	2500 x 1500	4	7.9	✓	✓	✓	✓
Model 23	2500 x 1750	4	9.2	✓	✓	✓	✓
Model 24	2500 x 2000	6	10.5	✓	✓	✓	✓
Model 25	2500 x 2500	8	13.1	✓	✓	✓	✓
Model 26	2500 x 3000	10	15.8	✓	✓	✓	✓



Dimensions in millimeters. Other bench configurations are available.



- Complete cabin including: Walls,
✓ benches, roof, steam inlet,
✓ steam room door,
✓ fasteners
✓



See page 116 for dimensions and drawings.

BENCHES



Square XL bench
instead of the Square bench



Square Double Bench
instead of the Square bench)



VOGUE CUSHIONS



Soft seat
to be used on the square bench



Soft flat cushion
Fits all benches



Soft lounge cushion
Fits the XL square bench

WINDOWS M1

2050 x 500 mm	2109 40 03
2050 x 1000 mm	2109 40 10
2050 x 1250 mm	2109 40 15
2050 x 1500 mm	2109 40 20
RAL color other than white	2105 33 50



SHOWERS



Hansgrohe Select Thermostat
1 Shower Function + Select
Hand Shower + Shower Hose

2812 20 00


Hansgrohe Select Thermostat
2 Shower Function + Select
Hand Shower + Shower Hose

2812 20 10



Hansgrohe Metropol
showerhead and shower hose

2812 20 20



Hansgrohe Raindance E
overhead shower, 400 x 400
mm

2812 20 30

STEAM INLET



Steam inlet glass (2 pieces)

White **2811 81 00**



Steam inlet glass (2 pieces)

Gray **2811 82 00**



Steam inlet glass (2 pieces)

Black **2811 83 00**

SQUARE BENCH

The square bench is an ideal bench for your Vogue steam and/or shower cabin. In addition to this bench, you can optionally choose a wider version (square bench XL) and/or a double bench (double square bench).

You can add a waterproof cushion to the bench for extra comfort.




Given the many options and combinations available, you can customize your own Vogue cabin online. Visit the configurator on our website: www.cleopatra.nl

Design your ideal cabin and then download the configuration in PDF format.

OPTIONAL

- LED light strip on the front
- Cushion
- Cover plate (see drawing, item 2) for side finishing.

SQUARE BENCH (STANDARD)





SQUARE BENCH XL

Do you need a wider bench in your steam room and/or shower stall? Then the Square XL bench is the perfect solution—780 mm wide instead of 500 mm.

You can add a waterproof cushion to the bench for extra comfort.




Given the many options and combinations available, you can customize your own Vogue cabin online. Visit the configurator on our website: www.cleopatra.nl.


Design your ideal cabin and then download the configuration as a PDF.

OPTIONAL

- LED light strip on the front
- Cushion
- Cover plate (see drawing, item 2) for side finishing.

SQUARE XL BENCH





DOUBLE SQUARE BENCH XL

The square double bench allows you to sit slightly higher in the cab. Instead of the standard height of 450 mm, the bench has a step-up to 670 mm.

You can add a waterproof cushion to the bench for extra comfort.



Given the many options and combinations available, you can customize your own Vogue cabin online. Visit the configurator on our website: www.cleopatra.nl.


Configure your ideal cab and then download the configuration in PDF format.

OPTIONAL


- Front LED light strip
- Cushion
- Cover plate (see drawing, item 2) for side finishing.

DOUBLE SQUARE XL BENCH





SOFT SEATS (OPTIONAL)



600 x 610 x 770 mm (for square bench)

- RAL 3018
- RAL 7021
- RAL 7042
- RAL 4001
- RAL 3015
- RAL 9016


SOFT FLAT CUSHION (OPTIONAL)



730 x 500 x 50 mm
1480 x 500 x 50 mm
1670 x 670 x 50 mm (for Square XL)

- RAL 3018
- RAL 7021
- RAL 7042
- RAL 4001
- RAL 3015
- RAL 9016

SOFT LOUNGE CUSHION (OPTIONAL)



1500 x 670 x 50 mm (for Square XL)

- RAL 3018
- RAL 7021
- RAL 7042
- RAL 4001
- RAL 3015
- RAL 9016




VOGUE LINE COLORS

GLOSS




Artic White


TEXTURE



White



Titan Gray



Graphite - Gray



Other colors available upon request

TEXTURE



Mediterranean - Beige




Terra - Gray



Metal Rust - Red

MATTE



Marble - White








Marble - Black









Concrete - Gray

DIMENSIONS

VOGUE 1500






VOGUE 2000



Dimensions in millimeters.





DIMENSIONS

VOGUE 2500



Dimensions in millimeters.

oethrom-



HAMAM

DESCRIPTION

Hamams—also known as Turkish and/or Oriental steam baths—are places where people can bathe, relax, and socialize. The hamam evolved from the bathhouses and thermal baths of the Roman and Byzantine Empires. A traditional hamam consists of three interconnected rooms: a hot room (caldarium), a warm room (tepidarium), and a cool room (frigidarium).

The hot room, the steam bath, is intended for sweating in the steam and for receiving scrub and foam massages. The warm room is used for washing with soap and water. The cool room, now the relaxation area, is for unwinding, getting dressed, enjoying a refreshing drink, and taking a nap after the massage.

Cleopatra's hammams have integrated all of the above functions: you can steam, relax, and shower in the same space. This is done at a room temperature of 40 °C. The cabins are made of modular panels and/or can be structurally assembled, which makes installation easy. They are unique because they can be customized in multiple ways: the color, the benches, the door types, and, of course, the dimensions are all adjustable. You also choose the lighting and the available shower options.

The cabins are durable, easy to maintain, and safe for users.

FEATURES

- Cabins made of insulation panels, such as the Vogue line, or structural panels.
- Modular components for a structural cabin.
- Walls, roof, and seating can be tiled.
- 8 mm clear, bronze, or gray glass.
- Door frame in white aluminum or RAL color (additional charge).
- Various shower functions available
- Enclosure can be installed on a finished floor.
- Various sizes available.
- Easy installation and maintenance.



HAMAM INSPIRATION

FEATURES

For residential use:

- Hamam function: steam bath at 40 °C.
- Colored lighting
- Shower function
- Fragrance dispenser
- Bluetooth music





For **professional** applications, several options are available:

- Clean Aqua System (CAS) for automatic flushing of the benches.
- Standby function.
- Steam session LED dimmer
- Wellness Automation: push button and/or payment app.
- Ultrasteam & Climate Control.

HAMAM INSPIRATION

FEATURES

For residential use:

- Hamam function: steam at 40 °C.
- Colored lighting
- Shower function
- Fragrance dispenser
- Bluetooth music



Osiris



Hermes

For **professional** applications, several options are available:

- Clean Aqua System (CAS) for automatic flushing of the benches.
- Standby function.
- Steam session LED dimmer
- Wellness Automation: push button and/or payment app.
- Ultrasteam & Climate Control.

CHECKLIST FOR CABIN INSTALLATION

CHECKLIST FOR CABIN INSTALLATION

- Read the cabin installation manual, which is available online.
- The dimensions listed are minimum net cabin dimensions and are subject to tolerances.
- Due to these tolerances, add approximately 100 mm all around the net cabin dimensions before installing the cabin.
- Check that there is sufficient space for faucets and plumbing.
- Allow for at least an additional 100–150 mm above the net height for vent and lighting connections.
- Have the installer determine in advance whether the capacity of your hot water supply is sufficient. This applies to both pressure and water volume, particularly in connection with side showers.
- The electrical supply must be located within 1 meter of the steam system.
- Power supply: For a steam generator of 6.0 kW or higher, a 400-volt connection is required. For 3 kW, a 230-volt connection is sufficient; 4.5 kW can be connected to either a 400-volt or a 2 x 230-volt connection. Ensure that a circuit breaker is always installed.
- If you have selected the fragrance dosing option: Install the fragrance connector in the section of the steam line that slopes downward toward the steam inlet, in an accessible location. This ensures that the fragrance can never enter the steam generator.

STEAM TECHNOLOGY


Steam production is controlled by the steam unit, which is installed outside the cabin. This means that a space must be made available to house the steam unit and related equipment (the steam line may be up to 3.5 m long). This space must always be accessible. Of course, the entire system is equipped with all necessary safety features; always read the manual before installation—it can be downloaded online.

INSTALLATION REQUIREMENTS

- The steam shower can be installed if:
- There is a connection for hot and cold water in the room.
- There is a shower drain.
- There is ventilation for natural or mechanical airflow.
- Ensure that the floors and walls are level.
- If using a prefabricated shower enclosure, insulate the walls.
- A 230V or 400V electrical connection must be available behind a circuit breaker.
- A heat-resistant drain is present in the steam system's installation room.

WARRANTY


All Cleopatra wellness cabins come standard with a 2-year manufacturer's warranty.



SPECIAL FINISHES

Sometimes products and collections need a slight modification to tailor the steam bath even more to your personal taste. With Cleopatra special finishes, we customize our products with an eye for detail according to the customer's personal preferences. These can include acrylic surfaces, as well as specially colored built-in components for the bath or steam room.





The high-quality finish colors are produced using PVD technology: a modern and environmentally friendly process for creating unique surfaces. Compared to electroplated chrome surfaces, this coating is more resistant to scratches and cleaning agents and less susceptible to corrosion.

Customize the components using the various colors in our configurator: www.cleopatra.nl.

stainless steel
optic - 800

brushed gold
finish - 250

brushed
bronze - 140




brushed black
chrome - 340

polished chrome
- 020

polished gold
finish - 990

polished
bronze - 130

matte
black - 440



FRAGRANCES

DESCRIPTION

Cleopatra steam bath milks are high-quality fragrances used by both individuals and professionals. The steam bath fragrances are made from 100% pure essential oils and odorless excipients. Ideal for aromatherapy.

- **Eucalyptus:** eucalyptus with a hint of rosemary. Eucalyptus is effective for colds and has an invigorating effect.
- **Eucamint:** a blend of eucalyptus and mint; effective for colds.
- **Lemongrass:** a healthy herb that helps with colds, has antibacterial properties, and has a positive effect on the gastrointestinal system.
- **Lavender:** Lavender has a calming and soothing effect. It smells wonderful and fresh.
- **Bergamot:** a citrus-scented fragrance used in aromatherapy to boost strength and energy.

The milk is supplied in a 5-liter or 1-liter container. Dosage: Dilute with water (1 part fragrance to 5 parts water).

NEW

Aromatic salt solution for use with colds, fatigue, and sore throats; eases breathing and soothes the skin. Available in two scents: Mediterranean and Cleopatra's Perfume.

Item No.	Description
2145 30 50	Eucalyptus Milk 5 liters (concentrate)
2145 40 50	Eucamint milk 5 liters (concentrate)
2145 40 60	Lemongrass milk 5 liters (concentrate)
	Eucalyptus milk 1 liter (concentrate) Eucamint
	milk 1 liter (concentrate) Bergamot 1 liter
	Lavender 1 liter
2216 54 00	Mediterranean Sea Salt Solution 5 liters
2216 54 50	Cleopatra Salt Solution 5 liters



Cleopatra offers the perfect wellness experience for individual spaces.
Smart solutions for a range of unforgettable moments of personal
well-being and relaxation.

For more information about Cleopatra, visit our website at www.cleopatra.nl or
contact the Cleopatra branch or partner in your country.

Cleopatra B.V. · Oostzijde 295 · 1508 EN Zaandam · Netherlands
Tel. +31 (0)75 6478200 · info@cleopatra.nl · www.cleopatra.nl

CLEOPATRA
world of wellness